

# OFFICE LIGHT SERIES

balk series



IP20

IP65

Light is our Passion. Innovative lighting systems from Balk Series offer you the freedom to stage your performance individually with extraordinary highlights.



W TKI c/w Acrylic H 839 LC



TYPE LED-FL	DIMENSION (mm)				
	W	W1	L	L1	H
2 x 10-18	295	275	595	575	125
3 x 10-18	595	575	595	575	125
4 x 10-18	595	575	595	575	125
2 x 19-36	295	275	1195	1175	125
3 x 19-36	595	575	1195	1175	125

W TKI H 840 LC



TYPE LED-FL	DIMENSION (mm)				
	W	W1	L	L1	H
2 x 10-18	295	275	595	575	125
3 x 10-18	595	575	595	575	125
4 x 10-18	595	575	595	575	125
2 x 19-36	295	275	1195	1175	125
3 x 19-36	595	575	1195	1175	125

downlight  
series

office  
light

outdoor  
luminaire

W SM M5 H 841 LC



TYPE LED-FL	DIMENSION (mm)		
	W	L	H
2 x 10-18	300	600	100
3 x 10-18	600	600	100
4 x 10-18	600	600	100
2 x 19-36	300	1220	100
3 x 19-36	600	1220	100

W RM M5 T5 H 842 LC



TYPE FL T5	DIMENSION (mm)				
	W	W1	L	L1	H
2 x 14	295	275	595	575	95
3 x 14	595	575	595	575	95
4 x 14	595	575	595	575	95
2 x 28	295	275	1195	1175	95
3 x 28	595	575	1195	1175	95

flood and  
spot light

street and  
solar cell

wall and  
pendat

downlight  
series

office  
light



outdoor  
luminaire

flood and  
spot light

street and  
solar cell



wall and  
pendat

W BALK H 843 LC




TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	50	610	40
2 x 10-18	100	610	40
1 x 18-36	50	1222	40
2 x 18-36	100	1222	40

W GMS H 844 LC





TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	50	610	105
2 x 10-18	100	610	105
1 x 18-36	50	1222	105
2 x 18-36	100	1222	105

W V-SHAPE H 845 LC





TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	135	610	50
2 x 10-18	135	610	50
1 x 18-36	135	1222	50
2 x 18-36	135	1222	50

W GMS PRISMATIC H 846 LC





TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	50	610	105
2 x 10-18	100	610	105
1 x 18-36	50	1222	105
2 x 18-36	100	1222	105

W BALK c/w WIRE GUARD H 847 LC





TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	50	610	105
2 x 10-18	100	610	105
1 x 18-36	50	1222	105
2 x 18-36	100	1222	105

W V-SHAPE c/w MIRROR H 848 LC





TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	135	610	50
2 x 10-18	135	610	50
1 x 18-36	135	1222	50
2 x 18-36	135	1222	50

W TKO H 849 LC




TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	55	610	70
2 x 10-18	100	610	80
1 x 18-36	55	1222	70
2 x 18-36	100	1222	80

W DUST PROOF H 850 LC





TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	102	702	115
2 x 10-18	172	702	115
1 x 18-36	102	1312	115
2 x 18-36	172	1312	115

W TKO c/w ACRYLIC H 851 LC



TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	55	610	105
2 x 10-18	100	610	105
1 x 18-36	55	1222	105
2 x 18-36	100	1222	105

W TKO c/w WIRE GUARD H 852 LC



TYPE LED-FL	DIMENSION (mm)		
	W	L	H
1 x 10-18	55	610	105
2 x 10-18	100	610	105
1 x 18-36	55	1222	105
2 x 18-36	100	1222	105

downlight  
series

office  
light

outdoor  
luminaire

flood and  
spot light

street and  
solar cell

wall and  
pendat